


# TECHNICAL COMPARISON

## BAND HEATERS



GROUP OF COMPANIES



**IHNE & TESCH**  
ELEKTRO-WÄRMETECHNIK

**KELLER IHNE + TESCH**  
ELEKTRO-WÄRMETECHNIK

**CELTIC**

**KIT ELECTROHEAT**

# BAND HEATERS

## TECHNICAL COMPARISON

### Aluminium compact Band Heater type ZAK with savings potential

According to the current state of knowledge, aluminium compact Band Heaters offer surface-area dependent savings potential compared to conventional Band Heaters. Comparisons have clearly shown that the aluminium heating achieved optimal heat distribution up to the boundary areas through its compact and stable design and precise fitting. A Temperature Sensor can be installed, which enables precise regulation of the heating.

#### Test procedure:



##### Test 1: Savings potential

1. Comparison: Ceramic-insulated Band Heater KHK 302D 201 L 230V 9000W  
Aluminium compact Band Heater ZAK 302D 200 L 230-250V 9000W
2. Heating to a cylinder temperature of 250 °C
3. Long-term measurement

##### Test 2: Heat distribution

1. Comparison: 230D 36L 230V 600W Mica-insulated Band Heater type Z  
Ceramic-insulated Band Heater type KHK  
Aluminium compact Band Heater type ZAK
2. all Band Heaters were heated to 200 °C

#### Results for test 1: Savings potential



subject to technical change




**IHNE & TESCH**  
ELEKTRO-WÄRMETECHNIK

**KELLER IHNE + TESCH**  
ELEKTRO-WÄRMETECHNIK


**CELTIC**

**KIT ELECTROHEAT**

[www.electricalheat.com](http://www.electricalheat.com)




The compact design of the Band Heater ZAK and the good heat-conducting material aluminium reduced the heating time in comparison to the ceramic insulated Band Heater by 11 minutes.



Also in the continuous use/ maintaining 250 °C setting, over a specified time period, the aluminium compact variant displays strongly reduced surface temperature compared to the ceramic-insulated variant. The measured power usage in kWh shows a significant increase of efficiency, which leads to a reduction in the time it is in use.

## Test 2: Heat distribution



Heat jam areas and cold areas are shown clearly in the picture at the boundary areas and in cracks and holes for conventional Band Heaters.

360  
340  
320  
300  
280  
260  
240  
220  
200  
180  
160  
140  
120  
100  
80  
60  
40

Mica Band Heater type Z

Ceramic Band Heater type KHK

Aluminium compact Band Heater type ZAK

## Benefits of aluminium compact Band Heaters:

- > compact, closed heating
- > heat distribution in the border areas through total surface contact
- > fast heating of the object
- > short heating and evening-out and maintaining of temperature
- > robust, energy efficient, economical

**Summing up the benefits, there is an energy-savings potential of up to 30% of conventional consumption values as well as nearly 100% heat distribution.**

subject to technical change





**GERMANY**

**Ihne & Tesch GmbH**  
 Am Drostenstueck 18  
 D-58507 Luedenscheid  
 P.O.Box 1863  
 D-58468 Luedenscheid

Phone: +49 2351 666 0  
 Fax: +49 2351 666 24  
 info@itlmail.de

**Ihne & Tesch GmbH**  
 Aalener Straße 42  
 D-90441 Nuremberg

Phone: +49 911 96678 0  
 info@itnmail.de

[www.elektroaermetechnik.de](http://www.elektroaermetechnik.de)

**Ihne & Tesch GmbH & Co. KG**  
 Kunigundenstraße 13  
 D-68623 Lampertheim  
 P.O.Box 5164  
 D-68612 Lampertheim

Phone: +49 6241 98808 0  
 Fax: +49 6241 80056  
 info@kitmail.de

[www.elektroaermetechnik.de](http://www.elektroaermetechnik.de)



**AUSTRIA**

**Keller, Ihne & Tesch GmbH**  
 Bahnhofstraße 90  
 A-3350 Haag

Phone: +43 7434 43880  
 Fax: +43 7434 43883  
 info@kitmail.at

[www.elektroaermetechnik.at](http://www.elektroaermetechnik.at)

**FRANCE**

**Celtic S.A.R.L.**  
 2/4 Rue René Cassin  
 ZAC La Villette-aux-Aulnes  
 F-77290 Mitry-Mory

Téléphone: +33 160 21 21 80  
 Téléfax: +33 160 21 21 81  
 info@celtic.fr

[www.celtic.fr](http://www.celtic.fr)

**GREAT BRITAIN**

**KIT Electroheat Ltd.**  
 Mexborough Business Centre  
 College Rd  
 GB-S64 9JP Mexborough

Phone: +44 1443 442 176  
 Fax: +44 1443 441 861  
 mail@kitelectroheat.co.uk

[www.kitelectroheat.co.uk](http://www.kitelectroheat.co.uk)